

VIBHUTI ENTERTAINMENTS

Number	Photo	Name	Notes	Price (INR)
1		fun clown	 <p>Voltage AC380V power: 4.5 KW motor speed: 1.5KW, 3KW turntable speed: 8~11rpm seat rolling speed: 4~6 n/min machine size: $\phi 3800 \times 4200$ mm capacity: 10 seats \times 1 person height: 4.2m area: $\phi 6m$</p>	1700000/-
2		ocean swivel chair	<p>Voltage AC380V power: 4.5 KW motor speed: 1.5KW, 3KW turntable speed: 8~11rpm seat rolling speed: 4~6 n/min machine size: $\phi 3800 \times 4200$ mm capacity: 10 seats \times 1 person height: 4.2m area: $\phi 6m$</p>	1750000/-
3	 	candy party		1650000/-

4



StarCraft



1700000/-

5



small
hydraulic
aircraft

1650000/-

6



rainbow small
pendulum(sun)

1600000/-

7



big hydraulic
aircraft



2400000/-

8



Super swing

2450000/-

9



Forest
exploration

2600000/-

10		 <p>6 seater carousel</p>	1650000/-	
11		<p>8 seater carousel</p>	1750000/-	
12		<p>12 seater carousel</p>	1700000/-	
13		<p>16 seater carousel</p>	<p>power supply: 3N+PE 380V/220V 50-60Hz power: 2.2KW speed: ~6r/min capacity: 70kg×16persons area: φ7m turntable diameter: φ5.8m machine height: 3.45m (ceiling height not included) weight: 2T</p>	2350000/-

14		<p>16 seater ice carousel</p>	<p>power supply : 3N+PE 380V/220V 50-60Hz power: 2.2KW speed: ~6r/min capacity: 70kg×16persons area: φ7m turntable diameter: φ5.8m machine height: 3.45m (ceiling height not included) weight: 3T</p> 	2300000/-
15		<p>24 seater ocean carousel</p>	<p>power supply : 3N+PE 380V/220V 50-60Hz power : 4KW (光with lights 6KW) speed : ~4r/min lifted height : 180mm capacity : 70kg×24 persons area : φ10m turntable diameter : φ8.5m machine height : 7m weight : 12T</p>	3450000/-
16		<p>36seater carousel</p>	<p>power supply: 3N+PE 380V/220V 50-60Hz power: 4KW (光with lights 6KW) speed: ~4r/min lifted height: 180mm capacity: 70kg×36 persons area: φ11m turntable diameter: φ9.5m machine height: 7m weight: 12T</p>	4800000/-
17		<p>20 seats space chair</p>	<p>Power supply): 3N+PE 380V/220V 50-60HZ Power): 2.2 KW Speed): 7 turns/min Turntable diameter): 4.5m Area):6m Capacity): 16 persons Height):3.2m Weight): 1T Container):1*20'GP</p>	1650000/-

18		Ice flying chair	1. 电源 (Power supply): 3N+PE 380V/220V 50-60HZ 2. 功率 (Power): 2.2 KW 3. 转速 (Speed): 7 turns/min 4. 转盘直径 (Turntable diameter): 4.5m 5. 占地 (Area): 6m 6. 乘员 (Capacity): 12 persons 7. 总高 (Height): 3.2m 8. 总重 (Weight): 1T 9. 装柜数: (Container): 1*20' GP	1500000/-
19		flying chair(tree)	Power supply): 3N+PE 380V/220V 50-60HZ Power): 2.2 KW Speed): 7 turns/min Turntable diameter): 4.5m Area): 6m Capacity): 12 persons Height): 3.2m Weight): 1T Container): 1*20' GP	 1450000/-
20		flying chair(ocean)	Power supply): 3N+PE 380V/220V 50-60HZ Power): 2.2 KW Speed): 7 turns/min Turntable diameter): 4.5m Area): 6m Capacity): 12 persons Height): 3.2m Weight): 1T Container): 1*20' GP	1350000/-
21		Ice mini pirate ship	Power supply): 3N+PE 380V/220V 50-60HZ Power): 5 KW Swing angle): ±45 Driving way): gas drive + friction Braking way): gas drive+ friction Area): 6m×3.5m (length×width) Capacity): 12 persons Weight): 2T Height): 4.5m	1450000/-

22		 <p>mini pirate ship(coconut tree)</p>	<p>Power supply): 3N+PE 380V/220V 50-60Hz Power): 5 KW Swing angle): ±45 Driving way): gas drive + friction Braking way): gas drive+ friction Area) : 7m×4.2m (length×width) Capacity): 12 persons Weight): 2T Height): 4.5m</p>	1350000/-
23		 <p>mini pirate ship(stake)</p>	<p>Power supply): 3N+PE 380V/220V 50-60Hz Power): 5 KW Swing angle): ±45 Driving way): gas drive + friction Braking way): gas drive+ friction Area) : 7m×4.2m (length×width) Capacity): 12 persons Weight): 2T Height): 4.5m</p>	1300000/-
24		<p>cartoon boat</p>	<p>Power supply: 3N+PE 380V/220V 50-60Hz power:3KW capacity: 8kids load: 70kg*8 area:9*5m track length:5.8m</p>	1250000/-
25		<p>cartoon boat (double wave)</p>	<p>Power supply: 3N+PE 380V/220V 50-60Hz power:6KW capacity: 8kids load: 70kg*8 area:15*5m track length:11m</p>	2300000/-



26



phantom
motorcycle

Power supply): Single phase AC220V/110V
power: 1.5KW
Area): 7mX12m (with fence)
Track length): ~35m (expanded)
Amount of cabins): 4 cars
Capacity): 8 persons (4 adults 4 kids)
Device: 1 control box, track, 4 cars, fence
2 fixed fiber glass, 1 rotatable fiber glass

1550000/-

27



pirate train

locomotive size): 2.3mx1.1mx1.9m
carriage size): 2.05*1.2*2.4m
Track): 50m (standard) (Area: 9m*24m)
Capacity): 14 persons
Speed): 4-6 kilometer/hour
Track voltage): 32 V 36V 40V
Power): 1.0KW (there is the power in each two carriages)
Weight): 200kg (each carriage)
Climbing angle): 5o-10o
sound Device): there is sound effect in the train.
Track): 8# channel steel (hot dip galvanizing), track gap : 600mm, railroad tie gap: 600mm
There are 3 gears can adjust the speed in the control box.
Device): 4 carriages, 1 control box, 50m track,

1350000/-

28



Magic train

Locomotive size): 1.5mx1mx1.9m
 carriage size:1.5*1*1.9m
 Track): 50m (standard)
 Capacity): 12persons
 Speed):4- 6 kilometer/hour
 Track voltage):32 V 36V 40V
 Power): 1.2KW
 Weight): 200kg (each carriage)
 Climbing angle):5o-10o
 sound Device):there is sound effect in the train.
 Track):8# channel steel(hot dip galvanizing),track gap :600mm,railroad tie gap: 600mm
 There are 3 gears can adjust the speed in the control box.
 Device):4 carriages,1 control box,50m track, platform
 The train is running on the unclosed track and must be equipped with the operator. From station A to B, the operator press the start button on the train and stop automatically when entering the station B. If the parking position is inaccurate, you can press the inching button to go forward adjustment. From B to A station, the operator pushes down the handle and

1650000/-

29



adventure train

Carriage size): 2.3mx1.2mx1.5m
 Track): 50m (standard) (Area:9m*24m)
 Capacity): 20 kids
 Speed):4- 6 kilometer/hour
 Track voltage):32 V 36V 40V
 Power): 1.0KW(there is the power in each two carriages)
 Weight): 200kg (each carriage)
 Climbing angle):5o-10o
 sound Device):there is sound effect in the train.
 Track):8# channel steel(hot dip galvanizing),track gap :600mm,railroad tie gap: 600mm
 There are 3 gears can adjust the speed in the control box

1150000/-



30



competitive
seahorse
rotation

Power supply): 3N+PE 380V/220V 50-60HZ
Power): 5.5KW (Contain lamps)
Area): 12*6.2m
height): ~3m
Cabins): 8
Each cabin capacity): 2 persons (1 adult & 1 child)
Time):1.5-2 min
Speed): 1.5m/s
Weight): 6T

2800000/-

31



space roam

Power supply): 3N+PE 380V/220V 50-60HZ
Power): 5.5KW (Contain lamps)
Area): 12*6.2m
height): ~3m
Cabins): 8
Each cabin capacity): 2 persons (1 adult & 1 child)
Time):1.5-2 min
Speed): 1.5m/s
Weight): 6T

2950000/-

32



mini ferris wheel

Power supply): 3N+PE 380V/220V 50-60Hz
Power): 2.2KW
Rotation radius): 3m
Height): 5m
Weight): ~3T
Area): 4.5×2.2m
Capacity): 5 cabins×2persons
Speed): 1.5rpm

1450000/-

 <p>33</p>		<p>Christmas mini ferris wheel</p>	<p>Power supply): 3N+PE 380V/220V 50-60Hz Power): 2.2KW Rotation radius): 3m Height): 5m Weight): ~3T Area): 4.5×2.2m Capacity): 5 cabins×2persons Speed): 1.5rpm</p>	<p>1750000/-</p>
<p>34</p>		<p>ice sports</p>	<p>Power supply): 3N+PE 380V/220V 50-60HZ Area) : 3.5m*4m Power):7KW(pneumatic) Capacity):8 persons (70KG/person) Machine Weight):1.2T Total height) :2.6m (background wall height)</p>	<p>1550000/-</p>
<p>35</p>		<p>small disco</p>	<p>Power supply): 3N+PE 380V/220V 50-60HZ Area) : 3.5m*4m Power):7KW(pneumatic) Capacity) :8 persons (70KG/person) Machine Weight):1.2T Total height) :2.6m (background wall height)</p>	<p>1450000/-</p>
<p>36</p>		<p>Jurassic</p>	<p>power supply: 3N+PE 380V/220V 50-60Hz power: 4KW turntable diameter: 4.5m height: 4m weith: ~3T are: diameter 6m capacity: 4cabins×2persons</p>	<p>1750000/-</p>



37



magic octopus

power supply: 3N+PE 380V /220V 50-60Hz
 power: 5.2KW
 (turntable diameter) : ϕ 5m
 lifting height:1.5m
 capacity: 70kg \times 16
 area: ϕ 8m
 travelling volume : 400 persons/hour
 weight : 4T
 height : \sim 3.5m

2450000/-

38



sea adventure

Power supply): 3N+PE 380V/220V 50-60Hz
 Power):2.6KW
 Capacity) :4 loongs \times 2 persons
 Rating loading): 70kg*8
 Area) :6m
 Total height) : \sim 3.3m
 Speed) :7 turns/min
 Lifted height):1.2m
 Weight) :1T
 Container) : 1*20GP

1250000/-

39



star war

Power supply): 1N+PE 110V/220V 50-60Hz
 Capacity):4 cabins \times 2 persons(1 adult & 1kid)
 Area):Diameter 6.5m
 (Total height):about 2.2m
 Power):1.1KW
 Speed):7turns/min
 Lifting height):0.7m
 Total weight):1T

780000/-

40



Plant agents

power supply : AC220V/50Hz
 power : \geq 2kW
 motor power : 1.5kW
 capacity : 16 persons (8 cabins*2 persons)
 speed : 0.8m/s
 machine height : 3.2m
 area : 5.5 \times 5.5m

1350000/-



41



Magic train

dimension : L4.8m*W2m*H2.8m(Size)
 area : L 6 m*W4m*H2.8m
 power: 3.0KW
 voltage: 380V
 speed: 9~12 turns/min
 capacity: 12persons

1250000/-

42



Strawberry cup

power supply: AC 220V~380V±5% 50Hz
 power : 220V~380V 3000W
 capacity : 6 cupsX4 persons (2 adults 2 kids)
 weight : ~1500kg
 area : Ø6m
 machine height:2.8m

2150000/-

43

Conch
adventure

area: Ø4.5m
 machine height: 3.2m
 capacity: 6 persons (70kg/person)
 power supply: 380v
 power: 8.5kw
 run height: 1.8m
 rotary speed: 1.2m/s
 lifted speed: 1.8m/s
 weight: 1.5T

1150000/-

44



Jumping frog

area: 3.5X3.5m
 machine height: A:3.7m B:4.2m
 capacity: 5 persons
 power supply: 380v
 power: 8kw
 run height: 1.7m
 speed: 1.2m/s
 weight: 1.5T

1650000/-

45



Trailless train

machine length: 13000mm
 machine weight: 1.5T
 suitable slope: 2%
 horizontal stability: $\leq 5^\circ$
 Locomotive L: 2.8M, W 1.26M, H 2.20M, weight: 850KG
 power device: 3kw new energy brushless motor plus smart speed reduction box
 battery: 8 charger: 1
 haring time: 8-10h
 duration: 120kilometers speed: 7KM/H
 coal water truck L: 1.9M, W: 1.25M, H: 1.05M, weight 130KG
 carriage L: 1.9M, W: 1.25M, H: 2.1M, weight: 180KG
 overlook car L: 1.9M, W: 1.25M, H: 2.1M, weight: 180KG

2250000/-

46



3 seater carousel

size: $\phi 1440\text{mm} * H2400\text{mm}$
 power : 400W, AC220

280000/-

47



Gliding bike

Size : L1800 * W1500*H2600mm
 power : 1.5KW AC220V

450000/-

49



Bumper car



2000X1200X850

165000/-

55



Bumper car

2000X1200X850

165000/-